



भाकृअनुप - राष्ट्रीय पशुरोग जानपदिक एवं सूचना विज्ञान संस्थान
ICAR-National Institute of Veterinary Epidemiology and Disease Informatics

रामगौडनहल्ली, येलहंका, बेंगलुरु - 560064

Ramagondanahalli, Post Box No: 6450, Yelahanka, Bengaluru - 560064

Ph: +91 80 23093110/+ 91 80 23093111 Fax: + 91 80 23093222, Email: director.nivedi@icar.gov.in



F.No.6-25(27)/NICRA/NIVEDI/2015-16

Date: 23-2-2016


TIME EXTENSION NOTICE

With reference to the Invitation for bid No. 6-25(27)/NICRA/NIVEDI/2015-16 dated 6-2-2016 for purchase of various equipments published in Institute website and in Central Public Procurement Portal under ID No.2016_ICAR_83375_1, 2016_ICAR_83401_1, 2016_ICAR_83420_1, 2016_ICAR_83488_1, 2016_ICAR_83489_1, 2016_ICAR_83490_1, 2016_ICAR_83491_1, it is to inform that the Director, ICAR- NIVEDI is pleased to extend the last date for submission of bids in respect of the following equipments up to **5.3.2016 till 4.00 P.M.** The bids will be opened at **11.00 A.M.** on **7.3.2016**. Other terms and conditions, technical specification of the respective equipments remain unchanged.

LIST OF EQUIPMENTS

Sl. No.	Tender schedule No.	Name of the equipment	EMD	Qty	Delivery schedule
1.	F.No.6-25(22)/NICRA/ NIVEDI/ 2015-16	Screen Projector	2000	1	<u>For Indian supply:</u> Maximum six weeks from the date of supply order <u>For Foreign supply:</u> Maximum of 8 weeks from the date of supply order/Opening of letter of credit
2	F.No.6-25(17)/NICRA/ NIVEDI/ 2015-16	High End Computer With Accessories	4750	1	
3	F.No.6-25(16)/NICRA/ NIVEDI/ 2015-16	Data Analyzer Carry Bag Model	4500	1	
4	F.No.6-25(20)/NICRA/ NIVEDI/ 2015-16	Table Top Centrifuge	4000	1	
5	F.No.6-25(21)/NICRA/ NIVEDI/ 2015-16	Electrophoresis Unit (Horizontal)	5000	2	
6	F.No.6-25(24)/NICRA/ NIVEDI/ 2015-16	Ph Meter	1500	2	
7	F.No.6-25(23)/NICRA/ NIVEDI/ 2015-16	Ice Flaker	7500	1	

NOTE: EMD/Bid security is required to be paid by DEMAND DRAFT drawn in favour of ICAR Unit-NIVEDI A/c payable at Bangalore.

Yours faithfully,

ASST. ADMIN. OFFICER